


Make 6 groups, each with one equation, routine, table, and graph.

<div>Table A</div> <table><tr><th>L1</th><th>L2</th><th>L3</th></tr><tr><td>0</td><td>7</td><td>-----</td></tr><tr><td>1</td><td>4.5</td><td></td></tr><tr><td>2</td><td>2</td><td></td></tr><tr><td>3</td><td>-0.5</td><td></td></tr><tr><td>4</td><td>-3</td><td></td></tr><tr><td>5</td><td>-5.5</td><td></td></tr><tr><td>-----</td><td></td><td></td></tr></table> <div>L2(7) =</div>	L1	L2	L3	0	7	-----	1	4.5		2	2		3	-0.5		4	-3		5	-5.5		-----			<div>Table B</div> <table><tr><th>L1</th><th>L2</th><th>L3</th></tr><tr><td>0</td><td>2</td><td>-----</td></tr><tr><td>1</td><td>.5</td><td></td></tr><tr><td>2</td><td>-1</td><td></td></tr><tr><td>3</td><td>-2.5</td><td></td></tr><tr><td>4</td><td>-4</td><td></td></tr><tr><td>5</td><td>-5.5</td><td></td></tr><tr><td>-----</td><td></td><td></td></tr></table> <div>L2(7) =</div>	L1	L2	L3	0	2	-----	1	.5		2	-1		3	-2.5		4	-4		5	-5.5		-----		
L1	L2	L3																																															
0	7	-----																																															
1	4.5																																																
2	2																																																
3	-0.5																																																
4	-3																																																
5	-5.5																																																
-----																																																	
L1	L2	L3																																															
0	2	-----																																															
1	.5																																																
2	-1																																																
3	-2.5																																																
4	-4																																																
5	-5.5																																																
-----																																																	
<div>Table C</div> <table><tr><th>L1</th><th>L2</th><th>L3</th></tr><tr><td>0</td><td>4</td><td>-----</td></tr><tr><td>1</td><td>8</td><td></td></tr><tr><td>2</td><td>12</td><td></td></tr><tr><td>3</td><td>16</td><td></td></tr><tr><td>4</td><td>20</td><td></td></tr><tr><td>5</td><td>24</td><td></td></tr><tr><td>-----</td><td></td><td></td></tr></table> <div>L2(7) =</div>	L1	L2	L3	0	4	-----	1	8		2	12		3	16		4	20		5	24		-----			<div>Table D</div> <table><tr><th>L1</th><th>L2</th><th>L3</th></tr><tr><td>0</td><td>-1</td><td>-----</td></tr><tr><td>1</td><td>-5</td><td></td></tr><tr><td>2</td><td>-9</td><td></td></tr><tr><td>3</td><td>-13</td><td></td></tr><tr><td>4</td><td>-17</td><td></td></tr><tr><td>5</td><td>-21</td><td></td></tr><tr><td>-----</td><td></td><td></td></tr></table> <div>L2(7) =</div>	L1	L2	L3	0	-1	-----	1	-5		2	-9		3	-13		4	-17		5	-21		-----		
L1	L2	L3																																															
0	4	-----																																															
1	8																																																
2	12																																																
3	16																																																
4	20																																																
5	24																																																
-----																																																	
L1	L2	L3																																															
0	-1	-----																																															
1	-5																																																
2	-9																																																
3	-13																																																
4	-17																																																
5	-21																																																
-----																																																	
<div>Table E</div> <table><tr><th>L1</th><th>L2</th><th>L3</th></tr><tr><td>0</td><td>-2</td><td>-----</td></tr><tr><td>1</td><td>-6</td><td></td></tr><tr><td>2</td><td>-10</td><td></td></tr><tr><td>3</td><td>-14</td><td></td></tr><tr><td>4</td><td>-18</td><td></td></tr><tr><td>5</td><td>-22</td><td></td></tr><tr><td>-----</td><td></td><td></td></tr></table> <div>L2(7) =</div>	L1	L2	L3	0	-2	-----	1	-6		2	-10		3	-14		4	-18		5	-22		-----			<div>Table F</div> <table><tr><th>L1</th><th>L2</th><th>L3</th></tr><tr><td>0</td><td>-3</td><td>-----</td></tr><tr><td>1</td><td>-1.5</td><td></td></tr><tr><td>2</td><td>0</td><td></td></tr><tr><td>3</td><td>1.5</td><td></td></tr><tr><td>4</td><td>3</td><td></td></tr><tr><td>5</td><td>4.5</td><td></td></tr><tr><td>-----</td><td></td><td></td></tr></table> <div>L2(7) =</div>	L1	L2	L3	0	-3	-----	1	-1.5		2	0		3	1.5		4	3		5	4.5		-----		
L1	L2	L3																																															
0	-2	-----																																															
1	-6																																																
2	-10																																																
3	-14																																																
4	-18																																																
5	-22																																																
-----																																																	
L1	L2	L3																																															
0	-3	-----																																															
1	-1.5																																																
2	0																																																
3	1.5																																																
4	3																																																
5	4.5																																																
-----																																																	

Make 6 groups, each with one equation, routine, table, and graph.

<p><b>Recursive Routine A</b></p> <p><math>(0, -2)</math></p> <p><math>(\text{Ans}(1)+1, \text{Ans}(2)-4)</math></p> <p><math>(1, -6)</math></p> <p><math>(2, -10)</math></p> <p><math>(3, -14)</math></p>	<p><b>Recursive Routine B</b></p> <p><math>(0, -1)</math></p> <p><math>(\text{Ans}(1)+1, \text{Ans}(2)+1.5)</math></p> <p><math>(1, .5)</math></p> <p><math>(2, 2)</math></p> <p><math>(3, 3.5)</math></p> <p>■</p>
<p><b>Recursive Routine C</b></p> <p><math>(0, -3)</math></p> <p><math>(\text{Ans}(1)+1, \text{Ans}(2)+2.5)</math></p> <p><math>(1, -.5)</math></p> <p><math>(2, 2)</math></p> <p><math>(3, 4.5)</math></p>	<p><b>Recursive Routine D</b></p> <p><math>(0, 2)</math></p> <p><math>(\text{Ans}(1)+1, \text{Ans}(2)-1.5)</math></p> <p><math>(1, .5)</math></p> <p><math>(2, -1)</math></p> <p><math>(3, -2.5)</math></p> <p>■</p>
<p><b>Recursive Routine E</b></p> <p><math>(0, 7)</math></p> <p><math>(\text{Ans}(1)+1, \text{Ans}(2)-2.5)</math></p> <p><math>(1, 4.5)</math></p> <p><math>(2, 2)</math></p> <p><math>(3, -.5)</math></p>	<p><b>Recursive Routine F</b></p> <p><math>(0, 4)</math></p> <p><math>(\text{Ans}(1)+1, \text{Ans}(2)+4)</math></p> <p><math>(1, 8)</math></p> <p><math>(2, 12)</math></p> <p><math>(3, 16)</math></p> <p>■</p>

Make 6 groups, each with one equation, routine, table, and graph.



Make 6 groups, each with one equation, routine, table, and graph.

<p><b>Equation A</b></p> <p>Plot1 Plot2 Plot3</p> <p>\Y1 ■ <math>2-1.5X</math></p> <p>\Y2 =</p> <p>\Y3 =</p> <p>\Y4 =</p> <p>\Y5 =</p> <p>\Y6 =</p> <p>\Y7 =</p>	<p><b>Equation B</b></p> <p>Plot1 Plot2 Plot3</p> <p>\Y1 ■ <math>7-2.5X</math></p> <p>\Y2 =</p> <p>\Y3 =</p> <p>\Y4 =</p> <p>\Y5 =</p> <p>\Y6 =</p> <p>\Y7 =</p>
<p><b>Equation C</b></p> <p>Plot1 Plot2 Plot3</p> <p>\Y1 ■ <math>-3+2.5X</math></p> <p>\Y2 =</p> <p>\Y3 =</p> <p>\Y4 =</p> <p>\Y5 =</p> <p>\Y6 =</p> <p>\Y7 =</p>	<p><b>Equation D</b></p> <p>Plot1 Plot2 Plot3</p> <p>\Y1 ■ <math>-1+2.5X</math></p> <p>\Y2 =</p> <p>\Y3 =</p> <p>\Y4 =</p> <p>\Y5 =</p> <p>\Y6 =</p> <p>\Y7 =</p>
<p><b>Equation E</b></p> <p>Plot1 Plot2 Plot3</p> <p>\Y1 ■ <math>7-2.5X</math></p> <p>\Y2 =</p> <p>\Y3 =</p> <p>\Y4 =</p> <p>\Y5 =</p> <p>\Y6 =</p> <p>\Y7 =</p>	<p><b>Equation F</b></p> <p>Plot1 Plot2 Plot3</p> <p>\Y1 ■ <math>-2-4X</math></p> <p>\Y2 =</p> <p>\Y3 =</p> <p>\Y4 =</p> <p>\Y5 =</p> <p>\Y6 =</p> <p>\Y7 =</p>

Make 6 groups, each with one equation, routine, table, and graph.

<b>Graph</b>	<b>Equation</b>	<b>Routine</b>	<b>Table</b>
		<b>A</b>	
		<b>B</b>	
		<b>C</b>	
		<b>D</b>	
		<b>E</b>	
		<b>F</b>	